

ABAP Interview Questions & Answers

Set 9

<http://abap-tutorials.com>

1. What is the fastest way to move one internal table to another internal table (assuming two tables of similar structure)?

a) append lines of table1 to table2.

b) loop at table1.

Move: table1-field1 to table2-field1,
table1-field2 to table2-field2.

Append table2.

Endloop.

c) table2[] = table1[].

d) loop at table1.

Move-corresponding table1 to table2.

Endloop.

e) move table1 to table2.

2. Which one of the following is true about a function module?

a) Function modules are locally accessible objects.

b) Function modules have inbound and outbound parameters.

c) Function modules have no built-in exception handling.

d) Function modules CANNOT be created by a programmer.

e) Function modules use a shared memory area.

3.

data: field1 type I value 10.

a) field1 = 10

field1 = 8

End-of-selection.

Subtract 2 from field1.

Write: / 'field1 =', field1.

Start-of-selection.

Add 5 to field1.

Write: / 'field1 =', field1.

Initialization.

Field1 = 5.

Write: / 'field1 =', field1.

What is the result after executing the above code?

b) field1 = 8

field1 = 14

field1 = 5

c) field1 = 5

field1 = 3

field1 = 8

d) field1 = 5

field1 = 10

field1 = 8

e) field1 = 8

field1 = 14

4. Which one of the following commands is used in drill-down reporting?

a) AT LINE-SELECTION

b) MODULE SET_SCREEN

c) LEAVE SCREEN

d) END-OF-PAGE

e) ON VALUE-REQUEST

5. What is an object which CANNOT be transported?

a) A local object

b) A change request

c) A development object

d) A class

e) A task

6. A GUI-Status is created in which transaction?

- a) Flow Logic
- b) Menu Painter
- c) GUI Painter
- d) Screen Painter
- e) Status Painter

7. Which one of the following statements creates a GUI-status in a dialog program?a) set pf-status '0100'.

- b) set screen '0100'.
- c) set gui-status '0100'.
- d) set gui-status = '0100'.
- e) set status '0100'.

8. Dialog programs have which naming convention?

- a) ZPBOxxx
- b) SAPMZxxx
- c) ZDIAxxx
- d) ZPAIxxx
- e) Zxxx

9. Which dictionary structure contains system fields?

- a) SYSTEM
- b) SYTAB
- c) SYST

d) SY

e) SYS

10.

a) 1

An internal table ICODE contains the following entries:

field1 field2

John 12345

Alice 23478

Sam 54321

Bob 10000

IF NOT ICODE[] IS INITIAL.

SORT ICODE BY FIELD1 DESCENDING.

READ TABLE ICODE WITH KEY FIELD1 = 'Sam'.

WRITE: / SY-TABIX.

ENDIF.

What is the output of the above code after execution?

b) 2

c) 3

d) 4

e) Sam

11.

a) 4

Data: number type i.

while number < 10.

Add 1 to number.

If number < 8.

Continue.

Else.

Add 4 to number.

Endif.

Endwhile.
Write number.

What does NUMBER equal after executing the above code?

- b) 8
- c) 10
- d) 12
- e) 14

12. Which one of the following statements would occur in the PBO of a dialog program using table control?

- a) loop at itab.
- b) loop at itab with control itab_tc.
- c) module exit at exit-command.
- d) module user_command.
- e) set screen '0100'

13.
data: begin of itab occurs 0,
field1(10),
field2(10),
end of itab.

- a) A B
A B
B B
A

Move: 'A' to itab-field1,
'B' to itab-field2.
Append itab.
Append itab.
Move: 'B' to itab-field1.
Append itab.
Clear itab.
Move: 'A' to itab-field2.
Append itab.

What are the contents of itab after executing the above code?

b) A B

A B

B

A

c) A B

B

A

d) A B

B A

A

e) A B

B A

B A

B A

14. When debugging a BDC session, which command is used to exit the session?

a) /n

b) /bend

c) /nexit

d) /nquit

e) /exit

15. Which system field returns the number of records returned after a select?

a) sy-index

b) sy-recno

c) sy-lncnt

d) sy-dbcnt

e) sy-tabix

16. Which statement regarding Logical databases is FALSE?

- a) Logical databases use a tree structure.
- b) Logical databases use a standard selection-screen for selection criteria.
- c) More than one logical database can be used in a report.
- d) Any change to a logical database is reflected in all reports using that logical database.
- e) Logical databases simplify and encapsulate data retrieval

17. Which one of the following is an example of an asynchronous update?

- a) modify ztable from wa.
- b) update ztable set field1 = '123'.
- c) update ztable from ztable.
- d) insert wa into ztable.
- e) call function 'update_table' in update task

18. Which return code is associated with a failed authority check due to lack of user authorization for the chosen action?

- a) 0
- b) 4
- c) 8
- d) 12
- e) 24

19. Which transaction is used to monitor, release, and reprocess BDC sessions?

- a) SM36
- b) SE37
- c) SE35

d) SP35

e) SM35

20. What is the structure for the following select-options? Select-options: zname like ztable-name.

a) zname-sign
zname-value
zname-low
zname-high

b) zname-low
zname-high
zname-pattern

c) zname-sign
zname-option
zname-low
zname-high

d) zname-sign
zname-option
zname-low

e) zname-sign
zname-option
zname-low

21. Which of the following are elementary types in ABAP?

a) C,D,F,H,I,N,P,T

b) C,D,F,I,N,P,Q,T

c) A,D,F,I,N,P,T,X

d) A,D,F,H,N,P,T,X

e) C,D,F,I,N,P,T,X

22.a) 1 1

3 3

4 4

4 4

data: f1 type I value 1,
f2 type I value 1.
Write: / f1, f2.
Do 2 times.
Perform scope.
Enddo.
Write: / f1, f2.

Form scope.
Data: f1 type I value 2,
f2 type I value 2.
Add: 1 to f1, 1 to f2.
Write: / f1, f2.
Endform.

What is the output of this program after execution?

b) 1 1
2 2
3 3
1 1

c) 1 1
3 3
3 3
3 3

d) 1 1
2 2
3 3
3 3

e) 1 1
3 3
3 3
1 1

23. Program specs call for screen 100 to appear in a modal dialog box.

a) The addition 'starting at X' is left out.

PAI

```
module do_something.  
If field1 = 'X'.  
Call screen '0100'.  
Endif.  
Endmodule.
```

Why does the above code fail to produce a modal box?

- b) The screen should be numbered 900.
- c) The code must occur in the PBO.
- d) The screen is of the wrong type.
- e) Screens are not called within modules.

24. Field-symbols are defined in which of the following ways?

- a) field-symbols f1 for f1.
- b) field-symbols [f1].
- c) field-symbols like f1.
- d) field-symbols (f1) like f1.
- e) field-symbols {f1}.

25.

- a) Line 2

```
1 TABLES: MARC.
```

```
2 DATA: BEGIN OF ITAB OCCURS 0,  
3 FIELD1(5),  
4 FIELD2(5),  
5 END OF ITAB.
```

```
6 READ ITAB WITH KEY MATNR = '12345'.  
7 IF SY-SUBRC = 0.  
8 WRITE:/ ITAB-MATNR.  
9 ENDIF.
```

Referring to the above code, which line contains an error?

- b) Line 5
 - c) Line 6
 - d) Line 7
 - e) Line 8
- 26.**

Loop at itab.
Write itab.
Endloop.

From where is the written line derived in the above loop statement?

- a) The table work area
- b) sy-subrc
- c) sy-index
- d) The table header
- e) sy-lisel

27.
a) Icode-field2 must be a numeric field.

An internal table icode contains the following entries:

Field1 Field2

John 12345
Alice 23478
Sam 54321
john 50000

```
DATA: BEGIN OF ICODE OCCURS 0,  
FIELD1(5),  
FIELD2(5),  
END OF ICODE.
```

```
READ TABLE ICODE WITH KEY FIELD1 = 'John' BINARY SEARCH.
```

Why does executing the above code return a sy-subrc of 4?

- b) The internal table has an incorrect structure.
- c) Both internal table fields must be used in the search.
- d) The internal table must be sorted first.
- e) 'John' should not be capitalized.

28.

- a) 26

Data: pos like sy-index,
index(1).

do 10 times.

Check sy-index between 2 and 6.

Add 1 to pos.

Move sy-index to index.

Write at pos index.

Enddo.

What is the output of the above code after execution?

- b) 1789
- c) 23456
- d) 132578910
- e) 178910

29. Dialog programs are of which type?

- a) Type B
- b) Type 1
- c) Type *
- d) Type M
- e) Type S

30.

- a) f1: 'Test Variant'
- f2: 'ariant'
- f3: ' ariant'

data: f1(12) type c value 'Test Variant',
f2(6) type c,
f3(8) type c.

Move: f1 to f2,
f2 to f3.

What do f1, f2, and f3 contain after executing the above code?

- b) f1: 'Test Variant'
- f2: 'ariant'
- f3: ' Variant'

- c) f1: 'Test Variant'
- f2: 'Test V'
- f3: 'st Varia'

- d) f1: 'Test Variant'
- f2: 'Test V'
- f3: 'Test V '

- e) f1: 'Test Variant'
- f2: 'Test V'
- f3: 'Test Var'

31.

- a) Lines 1 and 4

1. Data: Begin of itab occurs 0,
field1,
End of itab.
2. Data: Itab1 like itab occurs 0.
3. Data: Itab1 type itab occurs 0.
4. Data: Begin of itab1 occurs 0.
Include structure itab.
Data: End of itab1.

Which of the above statements code internal tables with a header line?

- b) Lines 1 and 3
- c) Lines 2 and 4
- d) Lines 1 and 2
- e) Lines 2 and 3

32. Which one of the following SQL statements does NOT lock the affected database entries ?

- a) select *
- b) Insert
- c) Delete
- d) select single for update
- e) modify

33.a) 1 2 3 D
2 3 4
3 4 5 D
4 5 6 D
7 8 9 d

data: begin of itab occurs 0,
num1 type I,
num2 type I,
num3 type I,
mark,
end of itab.

Delete from itab where mark eq 'D'.

Itab entries:
1 2 3 D
2 3 4
3 4 5 D
4 5 6 D
7 8 9 d
7 8 9 D

Given the ITAB entries, what are the contents of ITAB after executing the above code?

b) 2 3 4

c) 7 8 9 d
7 8 9 D

d) 2 3 4
3 4 5 D
4 5 6 D
7 8 9 d
7 8 9 D

e) 2 3 4
7 8 9 d

34.

a) 3 3
1 1
4 4
1 1

data: f1 type I value 1,
f2 type I value 1.

Do 2 times.
Perform scope.
Enddo.

Form scope.
Statics: f1 type I value 2,
f2 type I value 2.

Add: 1 to f1, 1 to f2.
Write: / f1, f2.

Perform scope2.

Endform.

Form scope2.
Write: / f1, f2.
Endform.

What is the output of the above program after execution?

b) 3 3

3 3

3 3

3 3

c) 3 3

3 3

4 4

4 4

d) 3 3

0 0

4 4

0 0

e) 3 3

1 1

4 4

3 3

35. An ABAP Screen is created in which transaction?

a) Screen Editor

b) Screen Painter

c) Menu Painter

d) ABAP Editor

e) Status Painter

36. Data written to the database would be reversed under which of the following circumstances?

a) Dequeue

b) Enqueue

c) Commit

d) Message Xnnn

e) End of Transaction

37. Program specifications ask for error checking on a selection-screen which contains a parameter inside a frame.

- a) at selection-screen on block b1
- b) selection-screen check block b1
- c) at selection-screen
- d) selection-screen on field f1
- e) check selection-screen

38. Table ztest has a secondary index on the following fields:

- a) Indexes are not allowed on Z tables

tnum, tcode.

Select * from ztest where tnum ne '123' and tcode = '456'.

Why is the index not used in the above case?

- b) Variables must be used, NOT literals
- c) Select individual fields, not select *
- d) Client is not in the where clause
- e) NE invalidates the use of an index

39. An internal table has two fields :

- a) select field1 field2 into (itab-field1, itab-field2)
from ztable where field1 = '10'.

Append itab.

Endselect.

Field1

Field2

Which of the following is the fastest way to fill an internal table of the structure above.

b) select * from ztable
where field1 = '10'.
Move ztable to wa.
Append itab from wa.
Endselect.

c) select * into corresponding-fields of itab
from ztable where field1 = '10'.

d) select * from ztable
where field1 = '10'.
Append itab.
Endselect.

e) select * into table itab from ztable
where field1 = '10'.

40. Update Bundling can occur within which of the following?

- a) Within dialog tasks and dequeue processes
- b) Within dialog and update tasks
- c) Within enqueue processes
- d) Within enqueue and dequeue processes
- e) Within update tasks and enqueue processes

41.

a) 1

data: begin of itab occurs 0,
field1,
end of itab.

Do 3 times.
Append initial line to itab.
Append 'X' to itab.
Enddo.

Describe table itab.
Write: sy-tfill.

What is the value of sy-tfill after executing the above code?

- b) 2
- c) 3
- d) 6
- e) 12

42.

Loop at zinfo.

At new name.

Sum.

Write: / zinfo-id, zinfo-name, zinfo-sales.

Endat.

Endloop.

Table zinfo Entries:

_____ a1 Smith 100.00 50.00

Field Type a1 Jones 100.00 50.00

_____ a2 Bob 100.00 50.00

id C a3 Bob 100.00 50.00

name C a4 Mike 100.00 50.00

sales P a5 Mary 100.00 50.00

sales2 P a5 Mary 100.00 50.00

Using the above information, what is the result of the following code?

a) a1 Smith 100.00
a1 Jones 100.00
a2 Bob 100.00
a3 Bob 100.00
a4 Mike 100.00
a5 Mary 200.00

b) a1 Smith 100.00
a1 Jones 100.00
a2 Bob 200.00
a4 Mike 100.00
a5 Mary 100.00

c) a1 Jones 200.00
a2 Bob 200.00

a4 Mike 100.00
a5 Mary 100.00
a5 Mary 100.00

d) a1 Jones 200.00
a2 Bob 200.00
a4 Mike 100.00
a5 Mary 100.00

e) a1 Smith 200.00
a2 Bob 100.00
a3 Bob 100.00
a4 Mike 100.00
a5 Mary 200.00

43. Which one of the following is an INCORRECT form of the WRITE statement?

- a) write x no-sign.
- b) write x no-decimals.
- c) write x left-justified no-gap.
- d) write x no-zero.
- e) write x under y currency us.

44.

a) 2

1. Data: Begin of imara occurs 0.
2. Include structure mara.
3. Data: End of imara.
- 4 Data: number like mara-matnr.
5. Select * into table imara
6. From mara where matnr = number.
7. If sy-subrc = 0.
8. Write:/ imara.
9. Endif.
10. Endselect.

Which line in the above code contains a syntax error?

- b) 5
- c) 6
- d) 8
- e) 10

45.

- a) D

data: field1(4) type c value 'ABCD'.

if field1 co 'ABCD'.

endif.

What is the value of sy-fdpos after this block of code is executed ?

- b) 4
- c) ABCD
- d) A
- e) 0

46. Which statement is INCORRECT when referring to SAP memory or ABAP memory?

- a) ABAP memory is only stored during the lifetime of an external session.
- b) You can use ABAP memory to pass data between internal sessions.
- c) SAP memory is also referred to as Global Memory.
- d) SAP memory is available across transactions.
- e) IMPORT/EXPORT (TO MEMORY) statements are used for SAP memory.

47. A standard type internal table ICODE contains the following entries:

field1 field2

001 New York
002 Boston

003 Houston
008 Denver
010 San Diego
020 Seattle

**READ TABLE ICODE WITH KEY FIELD1 = '015' BINARY SEARCH.
WRITE: / SY-TABIX.**

What is the value of sy-tabix after executing the above code?

- a) 0
- b) 2
- c) 5
- d) 6
- e) 7

48.

data: field1 type I value 10.

**End-of-selection.
Subtract 2 from field1.
Write: / 'field1 =', field1.**

**Start-of-selection.
Add 5 to field1.
Write: / 'field1 =', field1.**

**Initialization.
Field1 = 5.
Write: / 'field1 =', field1.**

What is the result after executing the above code?

- a) field1 = 5
field1 = 10
field1 = 8
- b) field1 = 8
field1 = 14

c) field1 = 10
field1 = 8

d) field1 = 5
field1 = 3
field1 = 8

e) field1 = 8
field1 = 14
field1 = 5

49.

**data: f1 type I value 1,
f2 type I value 1.**

**Do 2 times.
Perform scope.
Enddo.**

**Form scope.
Statics: f1 type I value 2,
f2 type I value 2.**

**Add: 1 to f1, 1 to f2.
Write: / f1, f2.**

Perform scope2.

Endform.

**Form scope2.
Write: / f1, f2.
Endform.**

What is the output of the above program after execution?

a) 3 3
1 1
4 4
3 3

b) 3 3
3 3

4 4

4 4

c) 3 3

3 3

3 3

3 3

d) 3 3

1 1

4 4

1 1

e) 3 3

0 0

4 4

0 0

50.

Table ZNAME Table ZINFO

field key	field key
------------------	------------------

mandt X mandt X

id X id X

lname X dept

fname X division

address

phone

fax

Using the above table definitions, which one of the following selects uses proper syntax?

a) select * from zinfo where id = '0025'.

Loop at zinfo.

Write: / id.

Endloop.

Endselect.

b) select mandt id lname into (client, id, lname)

from zname where id = '0025'.

Write: / id.
Endselect.

c) select * into table itab from zname
where id = '0025'.
Select * from zinfo for all entries in itab
where id = itab-id.
Write: / zinfo-dept.
Endselect.

d) select a~id a~lname a~fname b~dept into table itab
from zname as a INNER JOIN zinfo as b
on a~id = b~id
where lname = 'Smith'.

Loop at zname.
Write: / zname-id, zname-lname.
Endloop.

e) select count (id) sum (lname) into (num, lname)
from zname where id = '0025'.
Write: / num, lname.
Endselect.

51. Which one of the following statements is FALSE?

- a) Local objects CANNOT be transported to another instance.
- b) After a CHANGE REQUEST is released, no further changes to its' objects are allowed.
- c) Development classes can be viewed by using transaction SE80.
- d) A CHANGE REQUEST contains objects that can be transported to QA-PRD.
- e) A CHANGE REQUEST only contains one task.

52. Which one of the following statements would occur in the PBO of a dialog program using table control?

- a) loop at itab with control itab_tc.
- b) loop at itab.
- c) set screen '0100'.
- d) module user_command.

e) module exit at exit-command

53.

data n type i.

do 5 times.

if n > 0 and n < 5.

n = n + 1.

elseif n = 5.

n = n - 5.

else.

n = n - 1.

endif.

enddo.

Write: / n.

If n = 3, what is the output of this code after execution?

a) 2-

b) 1-

c) 0

d) 3

e) 5

54. You have added an append structure to a standard SAP table. What happens to the standard table when a new version of the table is imported during an upgrade?

a) The standard table is returned to standard. Therefore, the append structure must be manually re-applied

b) The append fields are automatically appended to the table upon activation but you must still convert the table

c) All append structures are deleted. A new append structure must be created and then appended to the standard table

d) When the standard tables are activated, the append structure is automatically appended to the standard table

55. What can you NOT attach a search help to?

a) type

- b) field of a table
- c) check table
- d) data element
- e) table

56. Which of the following does not physically exist in the underlying database? More than one answer is correct.

- a) View
- b) Internal table
- c) Structure
- d) Transparent Table
- e) Domain

57. What conditions apply for a LEFT Outer Join in OPEN SQL?

- a) Only 'Or' can be used as a logical operator in the ON condition
- b) A join statement is found to the right of the join operator
- c) At least one field from the table on the right is required for comparison in the ON condition
- d) A Left Outer Join is not permitted in OPEN SQL

58. What is true about a check table?

- a) Foreign key fields can accept only values which exist in the check table
- b) Check table fields can accept only values which exist in the check table
- c) Foreign key fields can accept any values regardless of the check table
- d) Check tables are not used for restricting values in the foreign key tables

59. Full buffering would be appropriate for what type of tables?

- a) Small Static tables

- b) Transaction Tables
- c) Tables with generic Keys
- d) Internal Tables

60. Where does information come from when you press F1 on a screen field?

- a) Domain short text
- b) Search help
- c) Data element documentation
- d) Domain Help values

61. What are the main functions of a Data Dictionary? More than one answer is correct.

- a) To insulate the ABAP/4 developer from the database
- b) To support the creation and management of metadata (data about data)
- c) To provide data security at the application level
- d) To connect to the operating system

62. Structure MY_STRUCTURE is created in the dictionary. When does the structure get created in the underlying database ?

- a) At the beginning of the table creation
- b) When the database administrator physically creates the table
- c) When the table is activated
- d) At the end of the table creation after it is saved.
- e) It does not correspond to an object in the underlying database and does not get created

63. What is the recommended method to modify a standard search help to include customer defined search paths?

- a) Add an elementary search help to the standard search help

- b) Enhance the standard search help with an append search help
- c) Add a collective search help to the standard search help
- d) Perform a modification to the standard search help

64. Where are Dictionary runtime objects used ?

- a) in the dictionary
- b) in structures
- c) in table “nametab”
- d) in work processes

65. If you want a subroutine U to have a formal parameter P that is used to return a value to the actual parameter . Which of the following definitions of U would you use to ensure that the value is passed back to the calling program only if the processing of U ends normally and is not terminated with a message statement ?

- a) Form U changing P.
- b) Form U using P.
- c) Form U changing value(P).
- d) Form U using value(P).
- e) Form U using P local P.

66. You want to go from dialog processing to list processing using a selection screen . Which statements would you use?

- a) call screen .
- b) read list.
- c) call transaction .
- d) leave to list processing followed by call selection-screen .
- e) selection-screen followed by parameters.

67. Which component on the application server controls the data traffic between work process and presentation server?

- a) SapGui.
- b) message handler.
- c) dispatcher.
- d) Dynpro processor.
- e) frontend processor.

68. Which options exist for extending a table without having to modify a table within the ABAP Dictionary? More than one answer is correct.

- a) append fields to the table.
- b) use append structures.
- c) use customer includes.
- d) CI includes.
- e) Insert new table fields.

69. Which of the following steps should be carried out in a transaction that implements updates ? More than one answer is correct.

- a) read the record that is to be updated.
- b) lock the record that is to be updated.
- c) pass the changed data to the update process.
- d) unlock the record that is to be updated.
- e) call the Abap command commit work.

70. Which enhancements planned by SAP are maintained in transaction CMOD (SAP enhancements)? More than one answer is correct.

- a) Table appends

- b) Menu exits
- c) function module exits
- d) User exits
- e) Screen exits

71. Why would you group corrections together? More than one answer is correct.

- a) To enable several corrections to be assigned to the same transport.
- b) To transport objects from different development classes.
- c) To prevent other developers from processing the same objects.
- d) To enable several developers to process the same object in parallel.
- e) To retain versions of several objects together.

72. Which statements are allowed if you are working with an internal table of type sorted? More than one answer is correct.

- a) Append
- b) Collect
- c) Sort
- d) Read
- e) Modify

73. How can you set the status and title for a modal dialog box?

- a) In the attributes of the corresponding screen.
- b) Before the corresp. call screen statement.
- c) In a PBO module of the corresponding screen.
- d) In the PAI module of the corresponding screen.

74. Which ABAP datatype would you use for calculations which req

quire high degree of precision?

- a) P
- b) I
- c) F
- d) N
- e) X

75. Which of the following statements about R/3 instances are correct? More than one answer is correct.

- a) An R/3 instance is an administrative unit that combines together all the components of a R/3 system that provide one or more services.
- b) A central R/3 system consists of one or more Instances.
- c) Each instance has its own SAP buffer area.
- d) Each instance contains at least one dialog service .

76. Where can you find the SET/GET parameters that has been assigned to a screen field? More than one answer is correct.

- a) in table TPARA.
- b) in the object list of the module pool.
- c) in the F1 help for the screen field under technical info.
- d) in the field list of the screen in the screen painter.
- e) in the window with possible values.

77. Which letters are allowed to be the first letter in the names of customer defined tables,structures and global types? More than one answer is correct.

- a) Y
- b) Z
- c) W

d) T

78. What must you do to undo DB changes previously issued in a dialog? More than one answer is correct.

- a) output E message.
- b) perform rollback work.
- c) raise exception.
- d) Analyze log record.
- e) code rollback LUW.

79. An update function module VF is called within subprogram VU .The program contains the call , VU on commit . At which point are the parameters for the update function VF evaluated ?

- a) when perform is executed
- b) at the beginning of function
- c) at commit work
- d) at start of v1 update
- e) at the end of the dialog step

80. Which events and statements determine the end of an SAP LUW in an online program with synchronous update? More than one answer is correct.

- a) call function in update task
- b) the start of the next dialog step
- c) commit work (explicit)
- d) call screen
- e) leave to list processing

81. What methods can be used to set the values for printing an online list? More than one answer is correct.

- a) Include SET_PRINT_PARAMTERS

- b) Function SET_PRINT_PARAMETERS
- c) NEW-PAGE PRINT ON
- d) Function GET_PRINT_PARAMETERS

82. What does a LDB(Logical Database) provide?

- a) Consistent and flexible user interface
- b) Central performance improvements for update accesses
- c) A method to access the data in a random manner
- d) Centrally defined authorization checks

83. When you EXPORT an internal table that has a header line to ABAP/4 memory, what is the result?

- a) Only the contents of the internal table is stored
- b) Only the header line is stored
- c) The header line and contents of the internal table are stored
- d) You cannot EXPORT an internal table with a header line.

84. Which Report Statement option determines the width of a list?

- a) Line-Size
- b) Line-Count
- c) Line-Width
- d) Report Size

85. What happens to memory when the Export is executed without specifying ID. i.e EXPORT object to memory ?

- a) The ABAP memory is completely overwritten
- b) SAP Memory is overwritten
- c) ABAP memory sets up a new default area

86. Mark the valid values for a checkbox . More than one answer is correct.

- a) Any Alpha Character
- b) Space
- c) 0
- d) 1
- e) X

87. When does the processing block for a Get statement end?

- a) When the next keyword event is encountered
- b) When all data has been retrieved for the Get
- c) After each PUT in the LDB
- d) When the END GET statement is encountered

88. What technique would you use to fix the 10 leftmost columns on a list when scrolling to the right?

- a) Set Left Scroll-Boundary Column 10
- b) Set Right Scroll-Boundary Column 10
- c) Scroll List PS+<10>
- d) Scroll List Left

89. When does the system reset the formatting on a Write statement?

- a) When explicitly changed using the Format statement
- b) At any New Event
- c) Using the Reset option of the Format statement
- d) All of the above

90. Which type is not a valid GUI Status type?

- a) Online(Dialog) Status
- b) List Status
- c) Dialog Box
- d) Context Menu

91. What does the following code achieve?

At Selection-Screen on value-request for sales.

Call screen 100.

- a) When the user presses F4, Screen 100 is displayed in addition to the normal help screen
- b) When the user presses F1, Screen 100 is displayed instead of the normal possible values search help
- c) When the user presses F4, Screen 100 is displayed instead of the normal possible values search help
- d) When the user presses F1, Screen 100 is displayed in addition to the normal help screen

92. Which of the following are valid logical database types? More than one answer is correct.

- a) Table
- b) Structure
- c) File
- d) Complex Data Object
- e) Node

93. Program A issues the following statement SUBMIT PROGRAM B. What takes place?

- a) Program B becomes active in the same internal session of Program A
- b) Program A becomes active in the same internal session of Program B
- c) Program B runs in a new internal session
- d) User Context is flushed

94. What is the code required in order to scroll the 3rd detail list to page 5 ?

- a) Scroll LIST 3 5
- b) Scroll LIST Index 3 to Page 5
- c) Scroll LIST sy-index 3 to Page 5
- d) Scroll LIST sy-lsind 3 to Page 5

95. For called program components that are of type transaction or report, what is true about the roll area (assuming processing will resume in the calling program).

- a) They run in their own roll area
- b) They run in the roll area of the caller
- c) Share the same roll area

96. Select the line that would execute in the following code after the EXIT statement

```
10 get spfli.  
20 * Processing of SPFLI records  
30 write: spfli-carrid, spfli-connid.  
40 counter = counter + 1.  
60 if counter > 1.  
70 Exit.  
80 endif.  
90 write:/ 'No more processing for this Carrier'.  
100 get sflight.  
110 write: sflight-fldate, spfli-price.  
120 end-of-selection.  
130 write: / text-002, text-003.
```

- a) 80
- b) 100
- c) 120
- d) 130
- e) Exits the Program

97. What is not a valid functional area type?

- a) LDB
- b) Sequential Data Set
- c) Program
- d) Search Help
- e) Joined Tables

98. Which is not a valid option of the Write Statement?

- a) NO-GAP
- b) Input
- c) Centered
- d) Under
- e) No-Zero
- f) As RadioBox

99. What are the 3 main sub objects of a LDB? More than one answer is correct.

- a) Structure
- b) Selection Screen
- c) Search Helps

- d) Tables
- e) DB Program

100. What is needed to ensure a check field is verified against the referenced key field of the check table?

- a) same data element is required for check field and referenced field
- b) same domain is required for check field and referenced field
- c) same data type only is required for check field and referenced field
- d) all key fields MUST have domain equality between check table and foreign key table

101. What is true about the primary index of a table? More than one answer is correct.

- a) The key fields of the table make up the primary index
- b) The primary index ID is designated by the Database Administrator
- c) The developer designates the fields to be used as the primary index
- d) The primary index is automatically created when the table is activated

102. Which of the following gets stored as a Runtime Object?

- a) Programs
- b) Tables
- c) Aggregate Objects
- d) Fixed Values belonging to a domain

103. When is it better to buffer the table?

- a) When a table is read infrequently
- b) When a table is read frequently and the data seldom changes
- c) When a table is read frequently and the data is always changing
- d) When a table is linked to check tables

104. Identify the different type categories in the ABAP dictionary. More than one answer is correct.

- a) Data Elements
- b) Structures
- c) Data definitions
- d) Table Types
- e) Data Models

105. What is true about views? More than one answer is correct.

- a) A view is automatically created on the database upon activation
- b) A view contains data
- c) Maintenance Views are not updateable
- d) Views can be buffered

106. Identify the case where table buffering should be set off.

- a) When the most current data is required
- b) When the most current data is not required
- c) For Small Static non volatile tables
- d) For Global Master Data

107. Table T1 wants to ensure that the key field t1-fielda entered is valid against a field t2-fielda in table T2. Which is the foreign key table?

- a) T1
- b) T2
- c) T3 from the dictionary
- d) Cannot be determined

108. Identify the one addition that is not part of the interface of a method

- a) Importing
- b) Result
- c) Exception
- d) Returning

109. What is the effect when a CLEAR statement is used on an internal table without header line?

- a) The work area is initialized
- b) All the lines of the table are deleted
- c) All the lines of the table are initialized
- d) Nothing

110. What is the default mode for passing actual parameters in a Perform?

- a) By Value
- b) By Reference
- c) By Changing

111. In the case of a function, Identify the item that is not a valid interface element.

- a) Import parameters
- b) Export parameters
- c) Tables
- d) Source Code
- e) Exceptions

112. How would you clear the body of an internal table (with a header line). More than one answer is correct.

- a) Clear ITAB[]
- b) Refresh ITAB []

- c) Clear ITAB
- d) Refresh ITAB

113. When catching errors using the CATCH...ENDCATCH statement, where does the runtime error return code get placed?

- a) sy-subrc
- b) sy-fdpos
- c) error class
- d) system-exceptions

114. What is the value of ZFIELDB after the last line of the following code is executed?

Data: ZFIELDA(5) type c value 'ABCDE'.

ZFIELDB(4) type c.

ZFIELDA = 'XX'.

Clear ZFIELDA.

ZFIELDB = ZFIELDA.

- a) ABCDE
- b) Spaces
- c) ABCD
- d) BCDE

115. Mark the valid use of the data statement. Assume that ZBOOK-ID is a dictionary object.

- a) Data fielda value zbook-id
- b) Data fielda type c like zbook-id
- c) Data fielda(5) like zbook-id
- d) Data fielda like zbook-id

116. Assuming you have created a data object of type c with the name ZFIELDA in your program. Which of the following is allowed?

- a) Data: ZFIELDA type n
- b) Types: ZFIELDA type I
- c) Data: ZFIELDA type c
- d) Constants: ZFIELDA type n

117. What do search statements REPLACE, SHIFT, CONCATENATE, SPLIT have in common? More than one answer is correct.

- a) They all set sy-subrc
- b) They all set sy-fdpos
- c) They all distinguish between upper and lower case
- d) They all treat the operands as type C regardless of their actual type
- e) The actual type of each operand determines how the string processing is performed

118. What are valid uses of a variant? More than one answer is correct.

- a) Hiding input fields
- b) Pre-assigning values
- c) Input validation
- d) Security checking

119. How can you perform a direct database read from a buffered table?

- a) Do not have buffering in the technical attributes
- b) Add the BYPASSING BUFFER clause on the select statement
- c) Buffering can be turned off on the application server by the programmer using the ABAP Workbench

120. What is the Effect of not Typing Formal parameters in a Form?

- a) Conversion always occurs
- b) Conversion never occurs
- c) Forms are more flexible but prone to a short dump if conversion does not work
- d) No effect
- e) Forms are less flexible and are guaranteed no chance of a run time error

121. What requirement exists if a field is defined in the dictionary of type CURR?

- a) The field must be numeric
- b) Decimals must be defined in the domain
- c) The field must be linked to another field of type CUKY
- d) No other requirement exists

122. Which of the following is not a valid ABAP data statement?

- a) Data fielda(5) type c
- b) Data fielda(5) type n
- c) Data fielda(5) type t
- d) Data fielda(5) type x

123. What is the result of the following date calculation? Assume current date is 20001220.

Data: Today(8) type C.

Today = sy-datum.

Today = 10.

- a) 10
- b) 20001220
- c) 10001220

d) 20011210

124. Mark the default size for a packed field

a) 1

b) 2

c) 4

d) 8

e) size must be specified

125. Refer to the following Code. What is the value of sy-fdpos and sy-subrc after the search is executed?

Data: mystring type c value 'ARAMCO'.

Search mystring for 'X'

a) sy-fdpos = 0 and sy-subrc = 0

b) sy-fdpos = 0 and sy-subrc = 4

c) sy-fdpos = 4 and sy-subrc = 0

d) sy-fdpos = 4 and sy-subrc = 4

126. What is true of passing by value and result in the following code? More than one answer is correct.

Perform calculate_sales using amount.

FORM calculate_sales changing value(f_amount)

a) Formal Parameter f_amount is allocated it's own memory space

b) The address of the actual parameter is passed to the formal parameter

c) Formal parameter is copied to memory space of actual parameter at the end of the form

d) Formal parameter is not copied to memory space of actual parameter

127. Define a Logical Database.

- a) An ABAP/4 Reading Program used to read and process data
- b) A method to update data
- c) A Reporting Tool
- d) Defintion of a Relational Data Model

128. What happens if message E046 is raised?

At Selection-Screen on sales.

If sales-low < 500.

Message E046.

Endif.

- a) The initialization event is fired again
- b) Field Sales is open for input and all other fields are not available for input
- c) All fields are open for input and cursor is positioned on field sales
- d) The program ends

129. What is a structured type in the ABAP dictionary that has no physical table defintion in the underlying database referred to as?

- a) table
- b) structured data type
- c) structure
- d) table type